


# DISSERTATIONES ARCHAEOLOGICAE

ex Instituto Archaeologico Universitatis de Rolando Eötvös nominatae



Ser. 3. No. 1. | 2013

DISSERTATIONES ARCHAEOLOGICAE  
ex Instituto Archaeologico  
Universitatis de Rolando Eötvös nominatae  
*Ser. 3. No. 1.*



Budapest 2013

Dissertationes Archaeologicae ex Instituto Archaeologico  
Universitatis de Rolando Eötvös nominatae  
*Ser. 3. No. 1.*

Editor-in-chief:  
DÁVID BARTUS

Editorial board:  
LÁSZLÓ BARTOSIEWICZ  
LÁSZLÓ BORHY  
ISTVÁN FELD  
GÁBOR KALLA  
PÁL RACZKY  
MIKLÓS SZABÓ  
TIVADAR VIDA

Technical editors:  
DÁVID BARTUS  
GÁBOR VÁCZI  
ANDRÁS BÖDŐCS

Proofreading:  
ZSÓFIA KONDÉ  
SZILVIA SZÖLLŐSI

Available online at <http://dissarch.elte.hu>  
Contact: dissarch@btk.elte.hu



# CONTENTS

## ARTICLES

Melinda TORBÁGYI – István VIDA 7

*The coin hoard of Abasár*

Anikó BÓZSA 21

*Roman mirrors from a private collection in the Hungarian National Museum*

Lajos JUHÁSZ 45

*The Biesheim cameo – a reinterpretation*

## METHODS

Péter CSIPPÁN 53

*Az állatcsont, mint információhordozó leletanyag*

Kata DÉVAI 85

*Terminológiai alapfogalmak régészeti korú üvegtárgyak elemzéséhez*

Lőrinc TIMÁR – Zoltán CZAJLIK – Sándor PUSZTA – Balázs HOLL 113

*3D reconstructions using GPR data at the Mont Beuvray*

## FIELD REPORTS

Zsolt MESTER 121

*Excavation at a new Upper Palaeolithic site of the Eger region (Northern Hungary)*

László BORHY – Dávid BARTUS – Emese SZÁMADÓ 129

*Short report on the excavations at Brigetio (Szőny-Vásártér) in 2013*

Dénes HULLÁM – Zsófia RÁCZ 141

*Report on the participation of the Eötvös Loránd University at the Wielbark Archaeological Field School in Malbork-Wielbark, Poland*

Gábor VÁCZI – Dávid BARTUS 147

*Short report on the excavations at the site Makó – Igási Ugar*

Maxim MORDOVIN 153

*Short report on the excavations in 2013 of the Department of Hungarian Medieval and Early Modern Archaeology (Eötvös Loránd University, Budapest)*

## THESIS ABSTRACTS

Kitti KÖHLER 179

*Biological reconstruction of the Late Neolithic Lengyel Culture*

Gábor VÁCZI	205
<i>Cultural connections and interactions of Eastern Transdanubia during the Urnfield period</i>	
Orsolya LÁNG	231
<i>Urban problems in the civil town of Aquincum: the so-called „northern band”</i>	
Nikoletta SEY	251
<i>Questions of bronze workshops in Roman Pannonia</i>	
Kata DÉVAI	259
<i>Glass vessels from Late Roman times found in graves in the Hungarian part of Pannonia</i>	
Eszter HORVÁTH	275
<i>Gemstone and glass inlaid fine metalwork from the Carpathian Basin: the Hunnic and Early Merovingian Periods</i>	
Gergely SZENTHE	303
<i>Vegetal ornaments in the Late Avar decorative art</i>	
Péter LANGÓ	321
<i>Relations between the Carpathian Basin and South East Europe during the 10th century. The evidence of the minor objects</i>	
Ciprián HORVÁTH	331
<i>The Cemeteries and Grave Finds of Győr and Moson Counties from the Time of the Hungarian Conquest and the Early Árpádian Age</i>	
András SÓFALVI	339
<i>The border- and self-defence of Szeklers from the Medieval Age till the Age of Principality. Castles and other defence objects in the settlement history of Udvarhelyszék</i>	

# **Biological reconstruction of the Late Neolithic Lengyel Culture**

KITTI KÖHLER

*Research Center for the Humanities, Institute of Archaeology*

*Hungarian Academy of Sciences*

kohler.kitti@btk.mta.hu

kohler.kitti@gmail.com

---

***Abstract of PhD thesis submitted in 2013 to the Doctoral School of Biology, Eötvös Loránd University, Budapest under the supervision of Gyula Gyenis.***

*Between 2006 and 2009 rescue excavations preceding the construction of M6 Motorway were carried out, in the course of which a settlement and a related cemetery of more than two thousand graves of the Late Neolithic–Early Copper Age Lengyel culture have been excavated at the site of Alsónyék-Bátašék, in South-eastern Transdanubia (Tolna county). Present study considers the northern, so-called 010/B part of the site (cemetery), comprising 862 graves. According to the current archaeological consensus earlier Central European Linearbandkeramik culture (LBK) played a crucial role in the formation of the Lengyel culture, but an infiltration or migration of new populations during this time period cannot be excluded. Present dissertation has been designed to investigate this fundamental question. In addition, I completed a detailed demographic analysis and published the frequency data of several pathological and dental alterations. In the course of the still ongoing investigation a case showing the classic symptoms of tuberculosis had been found.*

---

## **Introduction**

The physical anthropological characteristics of the Transdanubian Late Neolithic–Early Copper Age Lengyel culture are well known due to its numerous excavated cemeteries (Fig 1), which were investigated by physical anthropologists, and the majority of them was published by K. Zoffmann.<sup>1</sup> According to current archaeological consensus the earlier Central European *Linearbandkeramik* culture (LBK) played a crucial role in the formation of the culture, which is supported by their identical geographical distribution.<sup>2</sup> However, southern and southeastern influences archaeologically detected in the material culture suggest an infiltration of new populations during this time period.<sup>3</sup> Considering the origin of Lengyel people the physical anthropological literature identifies multiple scenarios that differ in the assumed ratios of indigenous and infiltrated populations.<sup>4</sup> Present dissertation has been designed to investigate this fundamental question, based on the morphometric, taxonomic and craniometric comparative analyses of the human remains unearthed at the site of Alsónyék-Bátašék. In addition, pathology and the dental alterations were also observed and frequency data published, which will contribute to further comparative investigations.<sup>5</sup>

1 K. ZOFFMANN 1968; 1969–1970; 2004; 2012.

2 KALICZ 1988.

3 KALICZ 2001.

4 SZATHMÁRY 1980; 1981; ZOFFMANN 2004; KÖVÁRI – SZATHMÁRY 2001; KÖVÁRI 2008.

5 PAP 2012.




Fig. 1. Anthropologically known Lengyel sites in the Carpathian Basin (Cs. Peterdi – Zs. Réti – K. Köhler).

Sites	Inf.	♂	♀	?	Total	Literature
<b>Hungary</b>						
1. Alsónyék-Bátašzék	147	248	336	131	<b>862</b>	Present thesis.
2. Aszód-Papi földek	78	48	72	2	<b>204</b>	K. ZOFFMANN 2014.
3. Balatonederics-Döme barlang	-	1	-	-	<b>1</b>	BERNERT ET AL. 2002.
4. Belvárdgyula-Szarkahegy	6	3	7	-	<b>16</b>	K. ZOFFMANN, unpublished.
5. Borjád-Kenderföld	-	-	1	-	<b>1</b>	K. ZOFFMANN, unpublished.
6. Csabdi-Télizöldes	11	7	15	1	<b>34</b>	KÖHLER 2004.
7. Esztergályhorváti	-	38	-	-	<b>38</b>	K. ZOFFMANN 2007.
8. Kaposújlak-Várdomb	-	-	1	-	<b>1</b>	K. ZOFFMANN 2011.
9. Karancsság	-	-	2	-	<b>2</b>	KÖHLER 2003.
10. Lengyel	1	5	-	-	<b>6</b>	VIRCHOW 1890; MALÁN 1929.
11. Lébény-Kaszásdomb	-	1	-	-	<b>1</b>	K. ZOFFMANN 1998-1999.
12. Mórág-Tűzkődomb B.1	34	14	31	3	<b>82</b>	K. ZOFFMANN 2004.
Mórág-Tűzkődomb B.2	12	5	9	-	<b>26</b>	K. ZOFFMANN 2013.
13. Nagykanizsa-Palin	1	1	2	2	<b>6</b>	TÓTH 2009; 2011.
14. Pári-Altacker	3	4	4	-	<b>11</b>	KISZELY 1973.
15. Pécsvárad-Aranyhegy	?	?	?	?	<b>8</b>	K. ZOFFMANN 1998-1999.
16. Sárvár, elkerülő út, 5. lh.	-	1	-	-	<b>1</b>	TÓTH 2002.
17. Sé-Malomi dűlő and Sé-Doberdó	1	1	-	-	<b>2</b>	TÓTH 1996-1997, 2002.
18. Szederkény-Kukorica-dűlő	1	2	1	-	<b>4</b>	K. ZOFFMANN, unpublished.
19. Szekszárd-Ágostonpuszta	1	13	6	2	<b>22</b>	NEMESKÉRI 1955.
20. Szentgal-Füzikút	-	-	1	1	<b>2</b>	K. ZOFFMANN 1998-1999.
21. Szólád-Kisaszó	2	-	1	-	<b>3</b>	KÖHLER, unpublished.
22. Szombathely, Metró Áruház	1	-	-	-	<b>1</b>	TÓTH 2002.
23. Tevel-Zsidóhegy	-	1	1	-	<b>2</b>	K. ZOFFMANN 1998-1999.
24. Versend-Gilencsa	-	-	2	-	<b>2</b>	K. ZOFFMANN, unpublished.
25. Veszprém, Jutasi út	2	5	5	1	<b>13</b>	KÖHLER 2006.
26. Villánykövesd	9	9	4	1	<b>23</b>	K. ZOFFMANN 1968.
27. Zengővárkony	4	25	33	2	<b>64</b>	K. ZOFFMANN 1969-1970.
28. Zomba-Paradicsompuszta	?	?	?	?	<b>4</b>	NEMESKÉRI 1955.
<b>Austria</b>						
29. Bisamberg	-	-	1	-	<b>1</b>	JUNGWIRTH 1956.
30. Eggenburg	-	1	-	-	<b>1</b>	EHGARTNER 1956.
31. Friebritz-Süd	5	5	1	1	<b>12</b>	NEUGEBAUER – MARESCH – TESCHLER-NICOLA 2006.
32. Langenlois	-	-	2	-	<b>2</b>	ZIMMERMANN 1935.
33. Mauer	2	2	3	-	<b>7</b>	STROUHAL – JUNGWIRTH 1970.
34. Mödling	-	-	2	-	<b>2</b>	RUTTKAY – TESCHLER-NICOLA 1985.
35. Poigen	1	1	3	-	<b>5</b>	EHGARTNER – JUNGWIRTH 1956.
36. Poysdorf	-	2	-	-	<b>2</b>	JUNGWIRTH 1967.

Sites	Inf.	♂	♀	?	Total	Literarure
37. Stillfried	-	1	-	-	1	SCHÜRER V. WALDHEIM 1919.
38. Wetzleinsdorf	-	-	1	-	1	JUNGWIRTH 1973.
<b>Slovakia</b>						
39. Lužianky	1	1	1	2	5	VLČEK 1961.
40. Malé Krštenany	-	-	1	-	1	VLČEK – BARTA 1950.
41. Svodín	42	23	27	6	98	JAKAB 1986.

## Material

Between 2006 and 2009 rescue excavations preceding the construction of M6 Motorway were carried out, in the course of which a Lengyel settlement and a related cemetery of nearly 2400 graves have been excavated at the site of Alsónyék-Bátaszék, in Southeastern Transdanubia.<sup>6</sup> Since the total size of the site and the correlation of different parts of the cemetery and adjacent settlement was not yet known at the time when I worked on my dissertation and only became clear later, the physical anthropological analysis and evaluation of the whole community was not feasible within the frames of the dissertation. Therefore, present study considers the northern, so-called 010/B part of the cemetery comprising 862 graves (*Fig. 2–3*). The results of this analysis, despite the fact that it was not based on the whole series, may significantly modify our recent knowledge on the population of the Lengyel culture.

## Methods

For the biological age estimation of the subadults I used methodologies outlined by Schour and Massler, Stloukal and Hanáková, Ferembach et al., Schinz et al., Ubelaker and Bernert et al.<sup>7</sup> The age estimation of adults was carried out on the basis of Todd, Nemeskéri et al., Szilvássy, Işcan et al. and Meindl – Lovejoy.<sup>8</sup> The morphological sex was described by the method of Éry et al.<sup>9</sup> The demographic analysis was carried out on the basis of Acsádi and Nemeskéri.<sup>10</sup> The anatomical variation was examined according to Finnegan, Hauser – De Stefano and Saunders.<sup>11</sup> The metric and the morphological evaluation was based on Martin – Saller and Alekseiev – Debets' method.<sup>12</sup> Stature was estimated using the work of Pearson-Rösing, Sjøvold and Bernert.<sup>13</sup> Taxonomical analyses were mainly carried out by the method of Lipták.<sup>14</sup> The craniometric comparative examinations of the male and female series were based on 10 measurements of the skulls, which were standardized with the average standard deviations of Alekseiev and Debets.<sup>15</sup> I applied the direct distance values between the examined series in the course of the comparison, and used the Euclidean, Chebyshev, Penrose distance and the Pearson's correlation coefficient.<sup>16</sup> I analyzed the limit of the significant simi-

6 ZALAI-GAÁL – OSZTÁS 2009; GALLINA ET AL. 2010.

7 SCHOUR – MASSLER 1941; STLOUKAL – HANÁKOVÁ 1978; FEREMBACH ET AL. 1979; SCHINZ ET AL. 1952; ÜBELAKER 1989; BERNERT ET AL. 2007.

8 TODD 1920; NEMESKÉRI ET AL. 1960; MILES 1963; SZILVÁSSY 1978; IŞCAN ET AL. 1985; MEINDL – LOVEJOY 1985.

9 ÉRY ET AL. 1963.

10 ACSÁDI – NEMESKÉRI 1970.

11 FINNEGAN 1972; HAUSER – DE STEFANO 1989; SAUNDERS 1978.

12 MARTIN – SALLER 1957; ALEKSEIEV – DEBETS 1964.

13 PEARSON – RÖSING 1988; SJØVOLD 1990; BERNERT 2005.

14 LIPTÁK 1962; 1965.

15 ALEKSEIEV – DEBETS 1964.

16 PENROSE 1954; RAHMANN 1962.

larity at 0.1, 0.5 and 1% significance level in every distance calculating method. The pathological investigation was based on the systematization according to Steinbock.<sup>17</sup> During the analysis of oral pathologies I recorded the number of premortem tooth loss, cavities, alveolar abscesses and dental hypoplasia.

## Objectives

In the dissertation I sought to answer the following questions:

- How did the demographic composition of the community of Alsónyék look like? Do the demographic characteristics of the analyzed sample resemble those observed in other series of the Lengyel culture?
- As a characteristic of the Lengyel mortuary practices, graves are usually found in smaller or larger grave groups occupying unused territories of the settlement. The research assumes that such spatial distributional patterns may correlate with affinal relations between the deceased.<sup>18</sup> Based on the demographic characteristics and on the heritable anatomical variations of the skeletal remains, is it possible to verify the family relationships of the deceased in these groups?
- What was the anthropological image characterizing the populations of the Lengyel culture? How does the physical anthropological analysis of this large sample affect or alter our recent knowledge of the Lengyel populations?
- Is it possible to demonstrate an anthropological continuity between the population of the Lengyel culture and the earlier inhabitants that occupied the same territory? Can we verify the assumed continuity between populations of earlier Neolithic periods, or do we need to calculate with a population infiltration or migration during the Late Neolithic in Transdanubia?
- What are the differences or similarities between the anthropological physiognomy of populations occupying the Eastern and Western Carpathian Basin and living in the same Late Neolithic period?
- What was the general state of health of the Alsónyék community? What diseases occurred most frequently within the population? How does it inform us about their lifestyle?
- What was the oral pathological status of the community of Alsónyék? How does it inform us about their diet and way of life?
- Do the anthropological characteristics of individuals buried in graves resting on four wooden pillars and containing a large amount of high quality grave-goods show any difference from the average individuals buried in simple graves? Can we see any anthropological physiognomy or pathological difference suggesting alternative lifestyle, diet, or different origin marking their distinctive position within the community?

17 STEINBOCK 1976.

18 But it is imaginable that it has been arranged on domestic units, or they were created simply by burying next to each other those who died around the same time at the same place.




Fig. 2. Map of the site with the so-called 010/B part of the cemetery marked in blue (Archaeosztráda Ltd.).




Fig. 3. Burial groups in the excavated 10/B area (Á. Marton).

## Results and conclusions

Following the questions and goals of the present dissertation the results of the physical anthropological analysis of the skeletal material from Alsónyék can be summarized as follows.

According to the demographic analysis, the population of the Alsónyék community was blessed with unrealistic mortality parameters. Despite to previous expectations, the ratio of neonates ( $\pm 0$ ) is merely 1%, consequently the life expectancy at birth ( $e_x^0$ ) is rather high (32.61 years). The proportion of infant I. and II. is also low (9.1% and 8.0%). In the meantime, contrary to the expected value, the ratio of adult and mature-aged individuals is almost equal (36.7% and 36.8% respectively), while senile-aged individuals are practically missing from the cemetery (0.2%) (Fig. 4).

Age/Sex	?	Male	Female	Total
<i>Neonatus</i>	9	0	0	<b>9</b>
<i>Infans I.</i>	65	0	0	<b>65</b>
<i>Infans I-II.</i>	7	0	0	<b>7</b>
<i>Infans II.</i>	65	0	0	<b>65</b>
<i>Infans II.-Juvenis</i>	2	0	0	<b>2</b>
<i>Juvenis</i>	38	7	12	<b>57</b>
<i>Juvenis-Adultus</i>	3	3	6	<b>12</b>
<i>Adultus</i>	27	95	140	<b>262</b>
<i>Adultus-Maturus</i>	19	32	46	<b>97</b>
<i>Maturus</i>	28	109	130	<b>267</b>
<i>Maturus-Senilis</i>	0	1	2	<b>3</b>
<i>Senilis</i>	0	0	0	<b>0</b>
<i>Adultus-Senilis</i>	9	1	0	<b>10</b>
?	6	0	0	<b>6</b>
<b>Total</b>	<b>278</b>	<b>248</b>	<b>336</b>	<b>862</b>

Age/Sex	?	Male	Female	Total	
Infans I.	78	0	0	<b>78</b>	(9,1%)
Infans II.	69	0	0	<b>69</b>	(8,0%)
Juvenis	41	9	15	<b>65</b>	(7,5%)
Adultus	38	112	166	<b>316</b>	(36,7%)
Maturus	37	126	154	<b>317</b>	(36,8%)
Senilis	0	1	1	<b>2</b>	(0,2%)
Adultus-Senilis	9	0	0	<b>9</b>	(1,0%)
?	6	0	0	<b>6</b>	(0,7%)
<b>Total</b>	<b>278 (32,2%)</b>	<b>248 (28,8 %)</b>	<b>336 (39,0%)</b>	<b>862</b>	

Fig. 4. Age and sex distribution of the buried individuals. Alsónyék-Bátaszék.

The very low ratio of neonates in the cemeteries of the Lengyel (and other prehistoric) communities is usual, and the data from Alsónyék suggest no difference. However, in the case of other Lengyel samples, infant mortality is generally higher. The moderate number of children at the site of Alsónyék is a general phenomenon in other, later prehistoric series, which can be explained by the poor preservation of their small bones. Furthermore, child burials were perhaps placed in shallow graves, which were destroyed by erosion, agricultural work, etc.

Based on demographic observations of historical populations, a general trend can be assumed, showing higher mortality rates among adult aged individuals, and relatively lower mortality among mature-aged individuals. In contrast, series of the Lengyel culture display higher mortality rate among mature-aged individuals. The explanation of this phenomenon is still unclear (*Fig. 5*).

Series/cultures	?	Inf. I.	Inf. II.	Juv.	Ad.	Mat.	Sen.	Literature
Alsónyék, Lengyel c.	1.7	9.1	8.0	7.5	36.7	36.8	0.2	Present thesis
Bruchstedt, Central European LBK	-	14.8	18.0	11.5	22.9	11.5	3.3	BACH 1978.
Sondershausen, Central European LBK	-	10.6	14.9	6.4	40.5	25.5	2.1	BACH 1978.
Aszód-Papi földek, Lengyel c.	-	21.0	18.2	5.0	24.3	27.6	3.9	K. ZOFFMANN 2014.
Zengővárkony, Lengyel c.	-	4.7	1.6	5.5	24.5	48.9	14.8	K. ZOFFMANN 1969–1970.
Villánykövesd, Lengyel c.	-	24.0	16.0	4.0	28.0	24.0	4.0	K. ZOFFMANN 1968.
Mórággy B.1., Lengyel c.	-	21.9	19.5	11.0	11.0	25.6	11.0	K. ZOFFMANN 2004.
Mórággy B.2., Lengyel c.	-	19.2	23.1	15.4	25.0	17.3	-	K. ZOFFMANN 2013.
Csabdi-Télizöldes, Lengyel c.	-	8.8	23.5	8.8	32.4	26.5	-	KÖHLER 2004.
Szegvár-Tűzköves, Tisza c.	4.8	15.8	4.8	9.5	28.6	27.0	9.5	FARKAS ET AL. 1993; FARKAS 1994.
Tápé-Széntéglágető, Tisza c.	25.2	7.9	15.4	5.7	29.9	13.5	2.4	FARKAS – LIPTÁK 1971; 1975.
Durankulak, Hamangia c.	13.8	2.3	2.1	1.0	66.1	14.7	-	YORDANOV – DIMITROVA 2002.
Durankulak, Varna c.	4.3	11.0	5.0	5.5	64.9	8.8	0.5	YORDANOV – DIMITROVA 2002.
Khirokitia, Neolithic period	-	34.1	3.3	0.8	50.0	11.8	0.0	ANGEL 1953.
Chamblan des c., Neolithic period	-	15.4	3.8	26.9	15.4	30.9	7.6	ACSÁDI – NEMESKÉRI 1970.
La Barmaz, Neolithic period	-	18.4	23.7	5.3	26.3	26.2	-	MOESCHLER 1971.
Vovnigi, Dnjepro-Donjec c.	-	67.1		2.5	13.0	17.4	0.0	KONDUKTOROVA 1973.
Cernavoda, Hamangia c.	14.9	2.3	2.9	2.9	11.7	63.7	2.5	NECRASOV ET AL. 1990.
Cernica, Boian c.	2.6	2.3	4.3	5.6	22.2	57.9	4.9	NECRASOV ET AL. 1990.

*Fig. 5.* Age and sex distribution of the buried individuals in other prehistoric cemeteries.

The ratio of male and female is not even in any known Lengyel cemetery; almost all of them are characterized by female dominance. The higher proportion of females may be attributed to flaws in the traditional sexing method, mortuary practices, polygamy, the death of males far from the community, etc. The demographic structure observed in the archaeologically outlined grave groups does not correlate with the assumed family relationship. Based on the low ratio of children, the unequal proportion of male and female burials, and the spatial distribution of child and adult burials next to each other, these groups do not seem to be representations of kinship-based organizations (*Fig. 6*).




Fig. 6. Distribution according to sex and age in the case of burial group No. 13. (Zs. Réti – Á. Marton).

The analysis of anatomical variations on skeletal remains somewhat may modify the above described picture. In some cases, the manifestation of certain hereditary traits on the skulls of the individuals buried next to each other suggests affinity; however, the disproportionate demographic characteristics make it rather unlikely. Further verification of the kinship ties may become possible by the determination of the relative and absolute chronology of the burials, and by biomolecular analyses of the human remains.<sup>19</sup>

The morphometric analysis of the Alsónyék population presents a significant heterogeneity with the dominance of dolicho-, and hyperdolichocran-headed and leptoprosop-faced individuals. Due to the mosaic-like distribution of individual sizes and indices, their classification into concrete variants was not possible.

Results of the taxonomic analysis of the series from Alsónyék compared to earlier analyzed series from other Lengyel cemeteries produced some novel information on the anthropological composition of the culture.<sup>20</sup> It can be established that the previous assumption of the dominance of the Atlanto-Mediterranean and Nordoid types cannot be maintained any longer. Present analysis of the Alsónyék population suggests the dominance of the Gracile Mediterranean variant within the Lengyel population (Fig. 8). These results have fundamental effects on our understanding on the anthropological composition of the Lengyel population.

<sup>19</sup> The DNA analysis was carried out in the Laboratory of Archaeogenetics of the Research Center for the Humanities, HAS, Archaeological Institute. Although the first analysis was unsuccessful, it will be repeated in the future.

<sup>20</sup> NEMESKÉRI 1961; SZATHMÁRY 1981; K. ZOFFMANN 1968; 1969–1970; 2001.

In order to answer questions concerning the origin of the human populations of the Lengyel culture, I conducted a comparative craniometric analysis incorporating Penrose, Euclidean and Chebyshev distance measurements and Pearson's correlation matrix. Based on the series of 38 males and 26 females sampled from Carpathian Basin, North-, East-, Central-, South-, and Southeast-European, and Near Eastern Neolithic and Copper Age populations, the series of Alsónyék represents significant relations with only a few (Fig. 7). In the case of females, within a low significance level (0.1% and 0.5%) all calculating methods show significant connections with the Lengyel series from the cemetery of Mórág, the LBK series from the Bruchstedt cemetery in Germany, and the pooled LBK series from Bohemia. In the case of males, using the Penrose and Euclidean distance, there are no significant similarities with any series, not even at a generous, 1% significance rate. On the other hand, employing Chebyshev distance and Pearson's correlation matrix, the male sample presents many connections that cannot be explained on the basis of archaeological and anthropological literature. In total, the comparative craniometric analysis of the Alsónyék series reinforces Zoffmann's earlier Penrose results, which suggested an indigenous (LBK) biological origin for the population of the culture.<sup>21</sup>

Series	Penrose		Euclidean		Chebyshev		Pearson	
	♂	♀	♂	♀	♂	♀	♂	♀
Lengyel c., Aszód-Papi földek	0.361	<b>0.149</b>	1.881	1.485	1.5	<b>0.947</b>	0.995	<b>0.998</b>
Lengyel c., Mórág B.1	0.566	<b>0.136</b>	2.802	<b>1.191</b>	1.98	<u>0.667</u>	0.992	<b>0.998</b>
Lengyel c., South Transdanubia	0.388	0.169	2.04	1.391	<b>1.275</b>	<u>0.646</u>	0.994	<b>0.998</b>
Lengyeli c., Lower Austria	-	0.388	-	1.97	-	<b>1.118</b>	-	<b>0.996</b>
Starčevo c.	0.675	0.309	2.766	1.89	2.367	<b>0.979</b>	0.989	0.996
Körös c.	-	1.023	-	3.65	-	1.789	-	0.988
Early LBK + Bükk c.	1.097	-	1.744	-	2.137	-	0.987	-
Central European LBK, Transdanubia	0.257	0.253	3.822	1.594	<b>1.167</b>	<b>0.958</b>	<b>0.996</b>	<b>0.997</b>
Vinča c., Hrtkovci-Gomolava	0.317	-	1.833	-	<b>0.944</b>	-	0.996	-
Tisza c.	0.501	0.227	2.248	1.529	1.556	<b>1.176</b>	0.994	<b>0.997</b>
Tiszapolgár c.	0.426	-	2.118	-	<b>1.163</b>	-	0.996	-
Bodrogkeresztúr c.	0.24	-	1.581	-	<b>1.061</b>	-	<b>0.998</b>	-
Baden c.. Budakalász	0.457	-	2.164	-	<b>1.26</b>	-	0.993	-
Baden c., Budapest Region	0.507	0.251	2.285	2.221	1.36	<b>1.259</b>	0.992	0.998
Baden c., Balaton Region	0.484	0.703	2.223	2.657	<b>1.167</b>	2	0.993	0.991
Central European LBK, Germany	0.257	-	2.244	-	1.526	-	<b>0.997</b>	-
Central European LBK, Bohemia	0.432	<b>0.155</b>	2.283	<b>1.271</b>	<b>1.176</b>	<b>0.765</b>	0.994	<b>0.998</b>
Central European LBK, Bruchstedt	-	<b>0.06</b>	-	<b>0.891</b>	-	<b>0.535</b>	-	0.999
Central European LBK, Sondershausen	0.333	0.238	2.501	1.594	1.722	<b>0.941</b>	<b>0.997</b>	<b>0.996</b>
Corded Ware c., Bohemia	0.332	-	1.926	-	<b>1</b>	-	0.995	-
Corded Ware c., Poland	0.958	0.289	3.436	1.708	2.278	<b>1.118</b>	0.987	0.996
Corded Ware c., Germany	0.32	0.471	1.912	2.217	1.5	1.706	0.996	0.993

21 K. ZOFFMANN 1984; 1992; 2004.

Series	Penrose		Euclidean		Chebyshev		Pearson	
	♂	♀	♂	♀	♂	♀	♂	♀
Złota c., Poland	1.01	0.718	3.183	2.71	2	1.447	0.986	0.989
Jordanovc., Brzesc Kujawski	0.662	-	2.577	-	1.395	-	0.99	-
Waltern.-Bernb. c., Schönstedt	0.243	0.47	1.599	2.495	<b>0.944</b>	1.647	<b>0.997</b>	0.994
Fatjanovo c., Russia	1.009	0.907	3.372	3.151	2.389	2.353	0.985	0.986
Tripolje c., Ukraina	0.658	0.817	2.557	2.859	1.667	2.235	0.992	0.988
Tripolje c., Bilcze Zlote	0.46	-	2.124	-	<b>1.222</b>	-	0.995	-
Dnjepro-Donjec c., Vovnigi	1.738	-	5.691	-	-	-	0.982	-
Dnjepro-Donjec c., Volnoje	2.114	1.549	6.715	6.003	4.056	3.521	0.982	0.987
Dnjepro-Donjec c., Dereivka	1.428	-	5.415	-	3.294	-	0.987	-
Dnjepro-Donjec c., Nikolskoje	2.001	-	6.042	-	-	-	0.979	-
Dnjepro-Donjec c., Ukraina+Russia	1.756	1.296	5.781	4.835	3.627	3.229	0.982	0.986
Lepenski Vir c., Serbia	0.968	1.213	4.222	4.845	2.765	3.104	0.989	0.989
Boian c., Cernica	0.336	0.401	1.82	2.361	<b>1</b>	<b>1.294</b>	<b>0.997</b>	0.996
Gumelnița c., Ruse	0.563	0.489	2.372	2.268	1.944	<b>1.138</b>	0.992	0.993
Nea Nikomedeia, Neolithic	-	0.347	-	2.05	-	1.588	-	0.996
Al'Ubaid, Neolithic	0.812	-	3.226	-	1.833	-	0.991	-
Troy I-V., Neolithic	2.401	-	5.372	-	4.517	-	0.968	-
Greek, Neolithic+Early Helladic	0.485	-	2.254	-	1.469	-	0.994	-
Central and Eastern Anatolia, Chalcolithic	0.475	-	2.302	-	1.51	-	0.993	-
Tepe Hissar II., Chalcolithic	0.662	0.36	2.576	2.046	1.653	1.383	0.993	0.996

Fig. 7. The results of the craniometric analysis incorporating Penrose, Euclidean and Chebyshev distance measurements and Pearson's correlation matrix. The bolded and underlined data signed the stronger, 0.1% significance level, while the only bolded numbers signed the looser (0.5% significance level) relationship.

Anthropological differences and similarities between populations of the Eastern and Western Carpathian Basin during this time period have been long debated. While Szathmáry partially originates the Late Neolithic population of the Tisza culture from the south,<sup>22</sup> Zoffmann dismisses this possibility.<sup>23</sup> According to Zoffmann's opinion, the populations of the Tisza and Lengyel cultures were in close genetic relations with each other. This may suggest small-scale or more significant population shifts within the Carpathian Basin during the Late Neolithic. Using the Penrose and Euclidean distance calculations, the female series from Alsónyék, does not represent significant similarities with the population of the Tisza culture. However, significant connections occurred between these populations at the significance level of 0.5%, using the Chebyshev distance and Pearson correlation matrix. Meanwhile, there is absolutely no observable correlation between the male series from Alsónyék and the population of the Tisza culture irrespectively of the distance measuring methodology. We have to admit, however, that beyond a narrow significance level (!), the population of the Tisza culture provides the closest relation to the population of the Alsónyék cemetery.

22 SZATHMÁRY 1981.

23 K. ZOFFMANN 1992; 2004.

The detailed paleopathological analysis of the skeletal population of the cemetery shows a relatively low ratio of traumatic deformations, non-specific inflammations, and degenerative articular diseases (*Fig. 9–10*). As for the hematological disorders, *cibra orbitale* occurred with a high incidence among children, which likely reflects iron deficient diet (*Fig. 11*). At the same time, among adults the most frequent alterations were enthesopathic deformities, primarily on the calcaneum, which are generally considered to be markers of a rather active lifestyle (*Fig. 12*). Beside these above-mentioned alterations some rare or significant diseases occurred, too. These include cases of benign tumor and of so-called pathological birth. Two cases of deformities affecting the frontal ligaments of the spinal column suggesting DISH-syndrome.

Beside these the most important pathological alteration occurred in the case of an individual buried in a post-framed grave construction (Grave No. 4027). On the spinal column of this person the very typical morphological lesions (collapse and fusion of vertebral bodies) caused by tuberculosis could be observed (*Fig. 13*). Further on, apart from this person showing classic symptoms of the disease, we decided to examine the presence of the so-called atypical syndrome on all of the skeletal finds excavated in this group (No. 13) of graves, in cooperation with the Department of Anthropology of the University of Szeged. Beside this, we were also going to investigate whether the DNA remnants of the pathogen can be detected from the bones.<sup>24</sup> The significance of these results are that beside the presence of the disease on the Great Hungarian Plain during the Neolithic Period (Hódmezővásárhely-Gorzska, Vésztő-Mágör)<sup>25</sup> this is the first recognizable TB infection in Transdanubia.

The oral pathological examinations revealed a general low frequency of carious lesions, alveolar abscesses and cysts, which suggests an adequate dental hygiene. However, the frequent appearance of dental hypoplasia suggests unpredictable food supply in the early childhood.

I had the opportunity to analyze 68 individuals who were buried in post-framed grave constructions. The demographic and morphometric characteristics of them show overall similarities to the rest of the population of the Alsónyék community. The frequency of different pathological alterations and dental diseases is also similar to that of the rest of the population buried in simple graves. Based on these, the archaeologically manifested socio-economic differentiation cannot be supported by the physical anthropological characteristics and by the lifestyle among the members of the Alsónyék community.

The verification of the above outlined results and interpretations, as well as the clarification of unanswered questions will be possible only through the physical anthropological analysis of the full population of the Alsónyék cemetery. Proceedings in the physical anthropological investigations considering the Lengyel culture require further burial excavations, which may give us a better understanding on the Early- and Middle Neolithic of the region and of the other contemporary, Late Neolithic populations of Western Transdanubia.

<sup>24</sup> The ongoing DNA research is realized in the framework of the OTKA K 81230 project at the EURAC Institute for Mummies and the Iceman in Bolzano. The relatively good state of preservation of the material, the important chronological period of the series and the presence of classical TB symptoms encouraged us to carry out a DNA test of TB-related lesions in grave group No. 13. According to its preliminary results, further TB--infected individuals occurred in the group (KÖHLER ET AL. 2013; PÓSA ET AL. 2013).

<sup>25</sup> MASSON 2011; SPEKKER ET AL. 2012.

## References

- ACSÁDI, Gy. – NEMESKÉRI, J. 1970: *History of human life span and mortality*. Budapest.
- ALEKSEIEV, V. P. – DEBETS, G. F. 1964: *Kraniometrija*. Moszkva.
- ANGEL, J. L. 1953: The human remains from Khirokitia. In: DIKAIOS, P. (ed.), *Khirokitia. Final report on the excavation of a Neolithic settlement in Cyprus on behalf of the Department of Antiquities 1936–1946*. Oxford, 416–430.
- BACH, A. 1978: *Neolithische Populationen im Mittellelbe-Saale-Gebiet. Zur Anthropologie des Neolithikums unter besonderer Berücksichtigung der Bandkeramiker*. Weimarer Monographien zur Ur- und Frühgeschichte 1. Weimar.
- BERNERT, Zs. 2005: Kárpát-medencei történeti népességek végtagarányai és testmagassága. In: KORSÓS, Z. (ed.), *IV. Kárpát-medencei Biológiai Szimpózium. Előadások összefoglalói*. Budapest, 35–43.
- BERNERT, Zs. – CSAPÓ, J. – ESZTERHÁS, I. 2002: Analysis of the anthropological material of Balatonederics Döme Cave. *Annales historico-naturales Musei nationalis hungarici* 94, 227–235.
- BERNERT, Zs. – ÉVINGER, S. – HAJDU, T. 2007: New data on the biological age estimation of children using bone measurements based on historical populations from the Carpathian Basin. *Annales historico-naturales Musei Nationalis hungarici* 99, 199–206.
- EHGARTNER, W. 1956: Ein lengyelzeitlicher "Glockenbecherschädel" aus Eggenburg, NÖ. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 86, 58–63.
- EHGARTNER, W. – JUNGWIRTH, J. 1956: Ein lengyelzeitliches Schädelnest aus Poigen, NÖ. *Archaeologica Austriaca* 19–20, 77–89.
- ÉRY, K. – KRALOVÁNSZKY, A. – NEMESKÉRY, J. 1963: Történeti népességek rekonstrukciójának reprezentációja (A representative reconstruction of historic population.) *Anthropologiai Közlemények* 7, 41–90.
- FARKAS, Gy. – LIPTÁK, P. 1971: A Tápé mellett feltárt késő bronzkori temető antropológiai értékelése (Die anthropologische Auswertung des spätbronzezeitlichen Gräberfeldes bei Tápé). *Anthropologiai Közlemények* 15, 3–18.
- FARKAS, Gy. – LIPTÁK, P. 1975: Anthropologische Auswertung des bronzezeitlichen Gräberfeldes bei Tápé. In: TROGMAYER, O. (ed.), *Das bronzezeitliche Gräberfeld bei Tápé. Fontes Archaeologici Hungariae* 17. Budapest, 229–267.
- FARKAS, Gy. 1994: Szegvár-Tűzköves neolitikus csontleleteiről. In: LŐRINCZY, G. (ed.), *A kőkortól a középkorig. Tanulmányok Trogmayer Ottó 60. születésnapjára (Von der Steinzeit bis zum Mittelalter. Studien zum 60. Geburstag von Ottó Trogmayer)*. Szeged, 143–150.
- FARKAS, Gy. – MARCSIK, A. – OLÁH, S. 1993: Történeti idők embere Szegváron. *Anthropologiai Közlemények* 35, 7–37.
- FEREMBACH, D. – SCHWIEDETZKY, I. – STLOUKAL, M. 1979: Empfehlungen für die Alters- und Geschlechtsdiagnose am Skelett. *Homo* 30, 1–32.
- FINNEGAN, M. 1972: *Population definition on the northwest coast by analysis of discrete character variation*. Ph.D. Diss., University of Colorado, Boulder.
- GALLINA, Zs. – HORNOX, P. – PALUCH, T. – SOMOGYI, K. 2010: Előzetes jelentés az M6 AP TO 10/B és 11. számú lelőhelyrészben végzett megelőző feltárásról. Alsónyék-Bátaszék (Tolna megye) 2006–2009. *A Wosinsky Mór Múzeum Évkönyve* 32, 7–100.

- HAUSER, G. – DE STEFANO, G. F. 1989: *Epigenetic variants of the human skull*. Stuttgart.
- İŞCAN, M. Y. – LOTH, S. R. – WRIGHT, R. K. 1985: Age estimation from the rib by phase analysis: White Females. *Journal of Forensic Sciences* 30, 853–863.
- JAKAB, J. 1986: Anthropologie der Skelette der träger der Lengyelkultur in Svodín. In: *Internationales Symposium über die Lengyel-Kultur. Nové Vozokany 5.9. November 1984*. Nitra – Wien, 89–94.
- JUNGWIRTH, J. 1956: Ein neolithischer Schädel aus Bisamberg bei Wien. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 86, 71–74.
- JUNGWIRTH, J. 1967: Zwei lengyelzeitliche Schädel aus Poysdorf, Niederösterreich. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 96–97, 57–63.
- JUNGWIRTH, J. 1973: Ein lengyelzeitliches Skelett aus Wetzleinsdorf, Niederösterreich. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 103, 19–27.
- KALICZ, N. 1988: *A termelőgazdálkodás kezdetei a Dunántúlon*. Akadémiai Doktori Értekezés. Budapest.
- KALICZ, N. 2001: Der Neuere Forschungsstand über die Lengyel Kultur. In: REGENYE, J. (ed.), *Sites and stones: Lengyel culture in Western Hungary and beyond. A review of the current research. Lengyel'99 and IGCP-442 Conference*. Veszprém, 7–13.
- KISZELY, I. 1973: Untersuchung der Menschenknochen aus der urzeitlichen Siedlung und dem Gräberfeld von Altacker in Pári. *Mitteilungen der Archäologischen Instituts der Ungarischen Akademie der Wissenschaften* 4, 119–128.
- KONDUKTOROVÁ, T. S. 1973: *Anthropologija naselenija Ukrayiny mezolita, neolita i epochi bronzy (Physical anthropology of the Ukrainian population in the Mesolithic, Neolithic, and Bronze Age)*. Moszkva.
- KÖHLER, K. 2003: A Lengyeli kultúra embertani leletei Karancsság lelőhelyről. – Anthropological finds of the Lengyel culture from Karancsság. *Ősrégészeti Levelek/Prehistoric Newsletter* 5, 33–37.
- KÖHLER, K. 2004: Anthropological finds of the Lengyel culture from Csabdi-Télizöldes. *Alba Regia* 33, 7–24.
- KÖHLER, K. 2006: A Lengyeli és a Balaton-Lasinja kultúra embertani leletei Veszprémből (Anthropological Finds of the Lengyel and Balaton-Lasinja culture from Veszprém). *Veszprém Megyei Múzeumi Közlemények* 24, 37–48.
- KÖHLER, K. – PÁLFI, Gy. – MOLNÁR, E. – ZALAI-GAÁL, I. – OSZTÁS, A. – BÁNFFY, E. – KIRINÓ, K. – KISS, K. K. – MENDE, B. G. 2013: A Late Neolithic case of Pott's disease from Hungary. *International Journal of Osteoarchaeology*. DOI: 10.1002/oa.2254.
- KÖHLER, K. – MENDE, B. G. – PÓSA, A. 2013: The Emergence of Tuberculosis in late neolithic Transdanubia. *Hungarian Archaeology* 2013 Summer ([http://www.hungarianarchaeology.hu/wp-content/uploads/2013/08/eng\\_Kohler\\_13ny1.pdf](http://www.hungarianarchaeology.hu/wp-content/uploads/2013/08/eng_Kohler_13ny1.pdf)).
- KŐVÁRI, I. 2008: *Az Alföld őskori népességeinek megítélése kraniometriai elemzésük révén*. PhD diszszertáció. Debreceni Egyetem, Debrecen.
- KŐVÁRI, I. – SZATHMÁRY, L. 2001: Népességek továbbelése az őskorban. In: ISÉPY, I. – KORSÓS, Z. – PAP, I. (eds.), *II. Kárpát-medencei Biológiai Szimpózium. Előadások összefoglalói*. Budapest, 299–302.
- LIPTÁK, P. 1962: Homo sapiens – species collectiva. *Anthropologai Közlemények* 6, 17–27.

- LIPTÁK, P. 1965: On the Taxonomic Method in Palaeoanthropology (Historical Anthropology). *Acta Biologica Szegediensis* 11, 169–183.
- MALÁN M. 1929: *Adatok a Lengyeli őstelep neolithkori lakóinak anthropológiájához*. Budapest.
- MARTIN, R. – SALLER, K. 1957: *Lehrbuch der Anthropologie I–II*. Stuttgart.
- MASSON, M. 2011: Tuberculosis at the Late Neolithic site of Hódmezővásárhely-Gorza, Hungary. *13th Annual Conference of the British Association for Biological Anthropology and Osteoarchaeology. Programme and Abstracts*, 27–28.
- MEINDL, R. S. – LOVEJOY, C. O. 1985: Ectocranial suture closure: A revised method for the determination of skeletal age at death based on the lateral-anterior sutures. *American Journal of Physical Anthropology* 67, 51–63.
- MILES, A. E. W. 1963: The dentition in the assessment of individual age in skeletal material. *Human Biology* 5, 191–209.
- MOESCHLER, P. 1971: Les cimetières néolithiques de Chamblaines (Pully, Vaud), Barmaz I et Barmaz II (Collombey, Valais). Approche démographique. *Archives suisses d'Anthropologie générale* 34, 76–78.
- NECRASOV, O. – CRISTESCU, M. – BOTEZATU, D. – MIU, G. 1990: Cercetări paleoantropologice privitoare la populațiile de pe teritoriul României (Recherches paléoanthropologiques concernant les populations qui vécurent sur le territoire de la Roumanie). *Arheologia Moldovei* 13, 173–224.
- NEMESKÉRI, J. 1955: A Természettudományi Múzeum Embertani Tára történeti embertani gyűjteményének gyarapodása az 1950–1954. években. *Annales historico-naturales Musei Nationalis hungarici* 6, 411–415.
- NEMESKÉRI, J. 1961: Die wichtigsten anthropologischen Fragen der Urgeschichte in Ungarn. *Anthropologai Közlemények* 5, 39–47.
- NEMESKÉRI, J. – HARSÁNYI, L. – ACSÁDI, Gy. 1960: Methoden zur Diagnose des Lebensalters von Skelettfunden. *Anthropologischer Anzeiger* 24, 70–95.
- NEUGEBAUER-MARESCH, CH. – TESCHLER-NICOLA, M. 2006: Zu den perimortalen Beschädigungen und postmortalen Lageveränderungen der Bestattungen von Friebritz (NÖ.) und ihre Bedeutung für die mittelneolithische Kreisgrabenanlage. In: KRENN-LEEB, A. – GRÖMER, K. – STADLER, P. (Hrsg.), *Ein Lächeln für die Jungsteinzeit. Ausgewählte Beiträge zum Neolithikum Ostösterreichs. Festschrift für Elizabeth Ruttkay*. Archäologie Österreichs 17.2. Wien, 31–40.
- PAP, I. 2012: Antropológia és régészeti. Egy változó viszony? (Anthropology and archaeology. A changing relationship?). In: KREITER, A. – PETŐ, Á. – TUGYA, B. (eds.), *Környezet-Ember-Kultúra. A természettudományok és a régészeti párbeszéde (Environment-Human-Culture. Dialogue between applied sciences and archaeology.) MNM-NÖK 2010. október 6-8-án megrendezett konferenciájának tanulmánykötete*. Budapest, 233–240.
- PENROSE, L. S. 1954: Distance, size and shape. *Annals of Eugenics* 18, 337–343.
- PÓSA, A. – MENDE, B. G. – KÖHLER, K. – MAIXNER, F. – ZINK, A. – MOLNÁR, E. – BERECKI, Z. – PERRIN, P. – SOLA, C. – PÁLFI, G. 2013: Late Neolithic human samples used for TB paleomicrobial research. *German Society of Anthropology (GfA) September 2nd – 6th 2013, EURAC Research - Bolzano/Bozen, Italy. Program and abstracts*, 35.
- RAHMANN, N. A. 1962: On the sampling distribution of the studentized Penrose measure of distance. *Annals of Human Genetics* 26(2), 97–106.

- RÖSING, F. W. 1988: Körperhöhenrekonstruktion aus Skelettmassen. In: KNUSSMANN, R. (Hrsg.), *Anthropologie. Handbuch der vergleichenden Biologie des Menschen. Band I.* Stuttgart – New York, 586–600.
- RUTTKAY, E. – TESCHLER-NICOLA, M. 1985: Zwei Lengyel Gräber aus Niederösterreich. *Annalen des Naturhistorischen Museums in Wien* 87, 211–235.
- SAUNDERS, S. R. 1978: *The development and distribution of discontinuous morphological variation of the human infracranial skeleton.* National Musem of Man, Mercury Series 81. Ottawa.
- SCHINZ, H. – BAENSCH, W. – FRIEDL, E. – UEHLINGER, E. 2012: Ossifikationstabelle. In: *Lehrbuch der Röntgen-Diagnostik.* (5. Aufl.). Stuttgart.
- SCHOUR, J. – MASSLER, M. 1941: The development of the human dentition. *The Journal of American Dental Association* 28, 1153–1160.
- SCHÜRER VON WALDHEIM, H. 1919: Vorgeschichtliche menschliche Funde aus Stillfried. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 47–49, 247–263.
- SJØVOLD, T. 1990: Estimation of stature from long bones utilizing the line of organic correlation. *Human Evolution* 5, 431–447.
- SPEKKER, O. - PÁLFI, Gy. - KOZOCsay, G. - PÓSA, A. - BERECZKI, Zs. - MOLNÁR, E. 2012: New cases of probable skeletal tuberculosis from the Neolithic period in Hungary – A morphological study. *Acta Biologica Szegediensis* 56(2), 115–123.
- STEINBOCK, R. T. 1976: *Paleopathological diagnosis and interpretation.* Springfield, Illinois.
- STLOUKAL, M. – HANÁKOVÁ, H. 1978: Die Länge der Längsknicken altslawischer Bevölkerungen unter besonderer Berücksichtigung von Wachstumsfragen. *Homo* 29, 53–69.
- STROUHAL, E. – JUNGWIRTH, J. 1970: Die menschlichen Skelette aus dem neolithischen Hornsteinbergwerk von Mauer bei Wien. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 50, 85–110.
- SZATHMÁRY, L. 1980: Autochthon and immigrated components in the Carpathian Basin Copper Age. *The Journal of Indo-European Studies* 8, 231–244.
- SZATHMÁRY, L. 1981: The Skeletal History of the Neolithic in the Carpathian Basin. *A Debreceni Déri Múzeum Évkönyve*, 51–66.
- SZILVÁSSY, J. 1978: Eine Methode zur Altersbestimmung mit Hilfe der sternalen Gelenksflächen der Schlüsselbeine. *Mitteilungen der Anthropologischen Gesellschaft in Wien* 108, 166–168.
- TÓTH, G. 1996–1997: Az Ö. 92. 123. leltári számú emberi csontmaradvány a séi neolit telepről. *Savaria* 23.3, 19–21.
- TÓTH, G. 2002: Újabb embertani adat Vas megye őskorához. *Savaria* 27, 215–218.
- TÓTH, G. 2009: Embertani adatok Zala megye őskorához (Anthropologische Daten zu der Urzeit des Regierungsbezirks Zala.) In: ILON, G. (ed.), *Nyersanyagok és kereskedelelem (Raw materials and Trade).* MΩMOΣ 6. Szombathely, 427–430.
- TÓTH, G. 2011: Jelentés a Nagykanizsa-Palin, Agyagnyerő lelőhely emberi csontanyagának vizsgálatáról (Lengyel-kultúra). *Folia Anhtropoligica* 10, 107–108.
- TODD, T. W. 1920: Age changes in the pubis bone: I. The male white pubis. *American Journal of Physical Antropology* 3, 285–334.
- UBELAKER, D. H. 1989: *Human Skeletal Remains. Excavation, Analysis, Interpretation.* Washington.

- VIRCHOW, R. 1890: Excursion nach Lengyel (Südungarn). *Verhandlungen der Berliner anthropologischen Gesellschaft*, 97–118.
- VLČEK, E. 1961: Antropologický materiál z neolitických hrobu v Lužiankách (Anthropological material from the Neolithic graves at Lužianky). *Musaica* 12, 69–80.
- VLČEK, E. – BARTA, J. 1950: Lengyelský kostrový hrob z Malých Krštenan /okr. Partizánske/ (Tomeau à squelette de Malé Krštenany près de Partizánské, Slovaquie). *Obzor Prehistorický* 14, 337–340.
- ZALAI-GAÁL, I. – OSZTÁS, A. 2009: A Lengyeli kultúra települése és temetője Alsónyék-Kanizsa-dűlőben (A settlement and cemetery of the Lengyel culture at Alsónyék-Kanizsa-dűlő). In: BENDE, L. – LŐRINCZY, G. (eds.), *Medinától Etéig*. Szentes, 245–254.
- ZIMMERMANN, G. 1935: Jungsteinzeitliche Schädelfunde aus Langenlois und deren Beziehungen zur Pfahlbaurasse. *Archiv der Julius Klaus Stiftung* 10, 227–236.
- K. ZOFFMANN, Zs. 1968: An anthropological study of the Neolithic cemetery at Villánykövesd (Lengyel Culture). *A Janus Pannonius Múzeum Évkönyve* 13, 25–37.
- K. ZOFFMANN, Zs. 1969–70: Anthropological analysis of the cemetery at Zengővárkony and the Neolithic Lengyel Culture in SW Hungary. *A Janus Pannonius Múzeum Évkönyve* 14–15, 53–72.
- K. ZOFFMANN, Zs. 1992: *Kelet Kárpát-medence neolitikus és rézkori népességeinek embertani vázlata*. Kandidátusi disszertáció. Budapest.
- K. ZOFFMANN, Zs. 1998–1999: Anthropological data of the Transdanubian Prehistoric populations living in the Neolithic, the Copper, the Bronze and the Iron Ages. *Savaria* 24.3, 33–49.
- K. ZOFFMANN, Zs. 2001: Anthropological Structure of the Prehistoric populations living in the Carpathian Basin in the Neolithic, Copper, Bronze and Iron age. *Acta Archaeologica Academiae Scientiarum Hungaricae* 52, 49–62.
- K. ZOFFMANN, Zs. 2004: A Lengyeli kultúra Mórágy B.1. temetkezési csoporthának embertani ismertetése (Anthropologische Funde des neolithischen Gräberfeldes Mórágy B.1 aus der Lengyel-Kultur). *A Wosinszky Mór Megyei Múzeum Évkönyve* 26, 137–179.
- K. ZOFFMANN, Zs. 2007: Anthropological material from a Neolithic common grave found at Esztergályhorváti (Lengyel Culture, Hungary). *Folia Anthropologica* 6, 53–60.
- K. ZOFFMANN, Zs. 2011: Somogy megyei régészeti ásatásokon elszórtan előkerült őskori embertani leletek. (Adatközlés) (Sporadically found prehistoric anthropological finds from Somogy County.) *Folia Anthropologica* 10, 65–76.
- K. ZOFFMANN, Zs. 2014: Anthropological investigation of the cemetery dated to the Lengyel culture unearthed at Aszód-Papiföldek. In: KALICZ, N., SIKLÓSI, Zs., Kovács, K. (eds.), *Aszód-Papi földek késő neolitikus lelőhely: kapcsolat kelet és nyugat között* (The Late Neolithic site of Aszód-Papi földek: connection between east and west). Budapest, in press.
- K. ZOFFMANN, Zs. 2013: Embertani leletek a Lengyeli kultúra Mórágy-Tűzkődomb B.2 lelőhelyen részlegesen feltárt sírcsoportjából. *Folia Anthropologica*, in press.
- YORDANOV, Y. – DIMITROVA, B. 2002: Results of an anthropological study of human skeletal remains of the prehistoric necropolis in the vicinity of the village of Durankulak. In: TODOROVA, H. (ed.), *Durankulak, Band II. Die Prähistorischen Gräberfelder. Teil 1*. Sofia, 325–347.

### The author's published papers on the topic of the PhD dissertation

- HAJDU, T. – FÓTHI, E. – BERNERT, Zs. – MOLNÁR, E. – LOVÁSZ, G. – KŐVÁRI, I. – KÖHLER, K. – MARCSIK, A. 2009: Appearance of hyperostosis frontalis interna in some osteoarchaeological series from Hungary. *Homo – Journal of Comparative Human Biology* 60, 185–205.
- KÖHLER, K. – PÁLFI, Gy. – MOLNÁR, E. – ZALAI-GAÁL, I. – OSZTÁS, A. – BÁNFFY, E. – KIRINÓ, K. – KISS, K. K. – MENDE, B. G. 2012: A Late Neolithic case of Pott's disease from Hungary. *International Journal of Osteoarchaeology*, DOI: 10.1002/oa.2254.
- KÖHLER, K. – ZALAI-GAÁL, I. – OSZTÁS, A. – BÁNFFY, E. – KIRINÓ, K. – KISS, K. K. – PÁLFI, Gy. – MENDE, B. G. 2012: Skeletal tuberculosis in a Late Neolithic serie from Hungary. *75th Anniversary of Albert Szentgyörgyi's Nobel Prize Award. Szeged, 22–25 March, 2012. ICEPT 2 – Tuberculosis Evolution Meeting, Final Programme*, 317.
- KÖHLER, K. 2003: A Lengyeli kultúra embertani leletei Karancsság lelőhelyről. *Ősrégészeti Levelek* 5, 33–37.
- KÖHLER, K. 2004: Anthropological finds of the Lengyel culture from Csabdi-Télizöldes. *Alba Regia* 33, 7–24.
- KÖHLER, K. 2006: A Lengyeli és a Balaton-Lasinja kultúra embertani leletei Veszprém (Anthropological finds of the Lengyel and Balaton-Lasinja culture from Veszprém). *Veszprém Megyei Múzeumi Közlemények* 24, 37–48.
- KÖHLER, K. 2013: Ergebnisse der anthropologischen Untersuchungen zweier spätneolithischer Bestattungen in Alsónyék. In: ANDERS, A. – KULCSÁR, G. (eds.), *Moments in Time. Papers Presented to Pál Raczky on His 60th Birthday*. Ősrégészeti Tanulmányok/Prehistoric Studies 1. Budapest, 401–405.
- ZALAI-GAÁL, I. – GÁL, E. – KÖHLER, K. – OSZTÁS, A. – SZILÁGYI, K. 2012: Präliminarien zur Sozialarchäologie des lengyelzeitlichen Gräberfeldes von Alsónyék-Bátašék, Südtransdanubien. *Praehistorische Zeitschrift* 87(1) 58–82.
- ZALAI-GAÁL, I. – GÁL, E. – KÖHLER, K. – OSZTÁS, A. 2009: Eberhauerschmuck und Schweinekieferbeigaben in den Neolithischen und kupferzeitlichen Bestattungssitten des Karpatenbeckens. *Acta Archaeologica Academiae Scientiarum Hungaricae* 60, 303–355.
- ZALAI-GAÁL, I. – GÁL, E. – KÖHLER, K. – OSZTÁS, A. 2011: „Ins Jenseits begleitend“: Hundemitbestattungen der Lengyel-Kultur von Alsónyék-Bátašék. *Acta Archaeologica Academiae Scientiarum Hungaricae* 62, 29–74.
- ZALAI-GAÁL, I. – GÁL, E. – KÖHLER, K. – OSZTÁS, A. 2011: Das Steingerätedepot aus dem Häuptlingsgrab 3060 der Lengyel-Kultur von Alsónyék, Südtransdanubien. In: *Beiträge zur Ur- und Frühgeschichte Mitteleuropas* 63. *Varia Neolithica* 7, 65–83.
- ZALAI-GAÁL, I. – KÖHLER, K. – OSZTÁS, A. 2010: Zur Typologie und Stellung von Kulttischchen der Lengyel-Kultur im mittel- und südosteuropäischen Neolithikum. *Acta Archaeologica Academiae Scientiarum Hungaricae* 61, 307–385.
- ZALAI-GAÁL, I. – OSZTÁS, A. – KÖHLER, K. 2012: Ein Neuer Gefäßstyp der Spätlenyel-Kultur von Alsónyék-Bátašék, Südtransdanubien. In: VASSIL, N. (ed.), *Internationales Humboldt-Kolleg: "Der Schwarzmeerraum vom Neolithikum bis in die Früheisenzeit (6000 – 600 v.Chr.): Kulturelle Interferenzen in der Zirkumpontischen Zone und Kontakte mit ihren Nachbargebieten". (Varna, Bulgarien, 16. – 20. Mai 2012)*. In press.
- ZALAI-GAÁL, I. – OSZTÁS, A. – KÖHLER, K. 2012: Totenbrett oder Totenhütte? Zur Struktur der lengyelzeitlichen Gräber mit Pfostenstellung Südtransdanubiens. *Acta Archaeologica Academiae Scientiarum Hungaricae* 63, 69–116.



Fig. 8. The dominate skulls in the Alsónyék series (F. Fazekas). 1. Skull No. 115. (Gracile Mediterranean type)  
2. Skull No. 768. (Gracile Mediterranean type).




Fig. 9. Rare pathological alterations: Fractures (F. Fazekas). 1. Left sided ulna and radius (Grave No. 369). 2. Right sided ulna (Grave No 848). 3. a–b. Right sided radius (Grave No. 6052).




Fig. 10. Rare pathological alterations: Spondylosis deformans (F. Fazekas). 1.a–b. Severe osteophyte formation on the cervical vertebrae (Grave No. 715). 2. a–b. Moderate osteophyte formation on the lumbar vertebrae. Top view (Grave No. 715). 3. a–b. Moderate osteophyte formation on the lumbar vertebrae. Lateral view (Grave No. 715).



Fig. 11. Frequently occurred diseases: Porotic Hyperostosis (F. Fazekas). 1. Criba orbitalia in the upper part of the orbita (Grave No. 813). 2. Porotic Hyperostosis on the left sided neck of the femur (Grave No. 4981). 3. Porotic Hyperostosis on the left sided neck of the femur (Grave No. 767).




Fig. 12. Frequently occurred diseases: Enthesopathic deformities (F. Fazekas). 1. Moderate enthesopathy on a calcaneum (Grave No. 500). 2. Moderate enthesopathy on a calcaneum (Grave No. 880). 3. Severe enthesopathy on a patella (Grave No. 500). 4. Severe enthesopathy on a patella (Grave No. 880).



Fig. 13. Tuberculosis, Grave No. 4027. (Archeosztráda Ltd – F. Fazekas) Excavation photo (above). The severe curvate of the spine is well observable. The TB affected spine (below), where the curve, the collapse and the fusion of the affected vertebrae (Pott—gibbus) are well observable.